

Report By:

National TAB
1329 E. KEMPER ROAD
SUITE 4210
CINCINNATI, OH 45246



Report: test

Function: Test, Adjust, & Balance

Date: 02/26/2026

Completed By: National TAB

PROJECT

Zingaro

5380 Medpace Way

Cincinnati, OH 45227

Client

Core Resources, Inc.

1404 Vine Street

Cincinnati, OH 45202

National TAB

Project: Zingaro

Table Of Contents

Section	Page #
FAN - Exhaust	3
FAN - Supply	4
Fan Coil	5
Kitchen Hood Type I	13

National TAB

Project: Zingaro

System/Unit: FAN - Exhaust



Asset: PCU-1

AREA: KITCHEN HOODS 1, 2, 3, AND 4

Unit Data		
	Design	Actual
MFG	NA	NA
Model Num	NA	NA
Serial Num	-	
Type	-	

Test Data		
	Design	Actual
CFM	6985	
Fan RPM	-	
RL Voltage	230	
RL Amperage	-	
Suction ESP	-	
Discharge ESP	-	
Total ESP	2.0	
Brake Horse Power	-	

Motor Data		
	Design	Actual
Motor MFG	-	
Frame	-	
Horsepower	-	
Motor Rpm	-	
Phase	-	
Voltage (rated)	-	
Amperage (rated)	-	
Service Factor	-	

Drive Data	
	Actual
Motor Sheave Size	
Motor Bore Size	
Motor Sheave SetPt	
Fan Sheave Size	
Fan Sheave Bore	
Belt CL Distance	
Num of Belts	
Belt Size	

National TAB

Project: Zingaro

System/Unit: FAN - Supply



Asset: MAU-1

AREA:

Unit Data		
	Design	Actual
MFG	NA	GREASEMASTER
Model Num	NA	GMRTU4-1.800-30
Serial Num	-	
Type	-	
Configuration	-	
Num Filters Size 1	-	
Filter Size 1	-	

Test Data		
	Design	Actual
CFM	7432	
SF RPM	-	
Motor Frequency	-	
SF System SetPt	-	
RL Voltage	460	
RL Amperage	-	
Suction ESP	-	
Discharge ESP	-	
Total ESP	0.500	
Brake Horse Power	-	

Motor Data		
	Design	Actual
Motor MFG	-	
Frame	-	
Horsepower	-	
Motor Rpm	-	
Phase	-	
Voltage (rated)	-	
Amperage (rated)	-	
Service Factor	-	

Drive Data	
	Actual
Motor Sheave Size	
Motor Bore Size	
Motor Sheave SetPt	
Fan Sheave Size	
Fan Sheave Bore	
Belt CL Distance	
Num of Belts	
Belt Size	

National TAB

Project: Zingaro

System/Unit: Fan Coil



Asset: FC-1

AREA:KITCHEN

Unit Data		
	Design	Actual
MFG	NA	NA
Model Num	NA	NA
Serial Num	-	
Type	-	
Num Filters Size 1	-	
Filter Size 1	-	

Motor Data		
	Design	Actual
Motor MFG	-	
Frame	-	
Horsepower	-	
Motor Rpm	-	
Phase	-	
Voltage (rated)	-	
Amperage (rated)	-	
Service Factor	-	
Brake Horse Power	-	

Drive Data	
	Actual
Motor Sheave Size	
Motor Bore Size	
Fan Sheave Size	
Fan Sheave Bore	
Belt CL Distance	
Num of Belts	
Belt Size	

Test Data		
	Design	Actual
SFAN CFM	3000	
SFAN RPM	-	
Motor Frequency	-	
Motor Speed SetPt	-	
RL Voltage	460	
RL Amperage	-	
RA CFM	2100	
OA CFM	900	

Performance Data		
	Design	Actual
Suction ESP	-	
Discharge ESP	-	
Total ESP	1.0	
EAT (db/wb)	-	
LAT (db/wb)	-	

National TAB

Project: Zingaro

System/Unit: Fan Coil



Asset: FC-2

AREA:

Unit Data		
	Design	Actual
MFG	NA	NA
Model Num	NA	NA
Serial Num	-	
Type	-	
Num Filters Size 1	-	
Filter Size 1	-	

Motor Data		
	Design	Actual
Motor MFG	-	
Frame	-	
Horsepower	-	
Motor Rpm	-	
Phase	-	
Voltage (rated)	-	
Amperage (rated)	-	
Service Factor	-	
Brake Horse Power	-	

Drive Data	
	Actual
Motor Sheave Size	
Motor Bore Size	
Fan Sheave Size	
Fan Sheave Bore	
Belt CL Distance	
Num of Belts	
Belt Size	

Test Data		
	Design	Actual
SFAN CFM	2250	
SFAN RPM	-	
Motor Frequency	-	
Motor Speed SetPt	-	
RL Voltage	460	
RL Amperage	-	
RA CFM	1575	
OA CFM	675	

Performance Data		
	Design	Actual
Suction ESP	-	
Discharge ESP	-	
Total ESP	1.0	
EAT (db/wb)	-	
LAT (db/wb)	-	

National TAB

Project: Zingaro

System/Unit: Fan Coil



Asset: FC-3

AREA:

Unit Data		
	Design	Actual
MFG	NA	NA
Model Num	NA	NA
Serial Num	-	
Type	-	
Num Filters Size 1	-	
Filter Size 1	-	

Motor Data		
	Design	Actual
Motor MFG	-	
Frame	-	
Horsepower	-	
Motor Rpm	-	
Phase	-	
Voltage (rated)	-	
Amperage (rated)	-	
Service Factor	-	
Brake Horse Power	-	

Drive Data	
	Actual
Motor Sheave Size	
Motor Bore Size	
Fan Sheave Size	
Fan Sheave Bore	
Belt CL Distance	
Num of Belts	
Belt Size	

Test Data		
	Design	Actual
SFAN CFM	2000	
SFAN RPM	-	
Motor Frequency	-	
Motor Speed SetPt	-	
RL Voltage	460	
RL Amperage	-	
RA CFM	1400	
OA CFM	600	

Performance Data		
	Design	Actual
Suction ESP	-	
Discharge ESP	-	
Total ESP	1.0	
EAT (db/wb)	-	
LAT (db/wb)	-	

National TAB

Project: Zingaro

System/Unit: Fan Coil



Asset: FC-4

AREA:

Unit Data		
	Design	Actual
MFG	NA	NA
Model Num	NA	NA
Serial Num	-	
Type	-	
Num Filters Size 1	-	
Filter Size 1	-	

Motor Data		
	Design	Actual
Motor MFG	-	
Frame	-	
Horsepower	-	
Motor Rpm	-	
Phase	-	
Voltage (rated)	-	
Amperage (rated)	-	
Service Factor	-	
Brake Horse Power	-	

Drive Data	
	Actual
Motor Sheave Size	
Motor Bore Size	
Fan Sheave Size	
Fan Sheave Bore	
Belt CL Distance	
Num of Belts	
Belt Size	

Test Data		
	Design	Actual
SFAN CFM	2000	
SFAN RPM	-	
Motor Frequency	-	
Motor Speed SetPt	-	
RL Voltage	460	
RL Amperage	-	
RA CFM	1400	
OA CFM	600	

Performance Data		
	Design	Actual
Suction ESP	-	
Discharge ESP	-	
Total ESP	1.0	
EAT (db/wb)	-	
LAT (db/wb)	-	

National TAB

Project: Zingaro

System/Unit: Fan Coil



Asset: FC-5

AREA:

Unit Data		
	Design	Actual
MFG	NA	NA
Model Num	NA	NA
Serial Num	-	
Type	-	
Num Filters Size 1	-	
Filter Size 1	-	

Motor Data		
	Design	Actual
Motor MFG	-	
Frame	-	
Horsepower	-	
Motor Rpm	-	
Phase	-	
Voltage (rated)	-	
Amperage (rated)	-	
Service Factor	-	
Brake Horse Power	-	

Drive Data	
	Actual
Motor Sheave Size	
Motor Bore Size	
Fan Sheave Size	
Fan Sheave Bore	
Belt CL Distance	
Num of Belts	
Belt Size	

Test Data		
	Design	Actual
SFAN CFM	3000	
SFAN RPM	-	
Motor Frequency	-	
Motor Speed SetPt	-	
RL Voltage	460	
RL Amperage	-	
RA CFM	2100	
OA CFM	900	

Performance Data		
	Design	Actual
Suction ESP	-	
Discharge ESP	-	
Total ESP	1.0	
EAT (db/wb)	-	
LAT (db/wb)	-	

National TAB

Project: Zingaro

System/Unit: Fan Coil



Asset: FC-6

AREA:

Unit Data		
	Design	Actual
MFG	NA	NA
Model Num	NA	NA
Serial Num	-	
Type	-	
Num Filters Size 1	-	
Filter Size 1	-	

Motor Data		
	Design	Actual
Motor MFG	-	
Frame	-	
Horsepower	-	
Motor Rpm	-	
Phase	-	
Voltage (rated)	-	
Amperage (rated)	-	
Service Factor	-	
Brake Horse Power	-	

Drive Data	
	Actual
Motor Sheave Size	
Motor Bore Size	
Fan Sheave Size	
Fan Sheave Bore	
Belt CL Distance	
Num of Belts	
Belt Size	

Test Data		
	Design	Actual
SFAN CFM	1125	
SFAN RPM	-	
Motor Frequency	-	
Motor Speed SetPt	-	
RL Voltage	460	
RL Amperage	-	
RA CFM	825	
OA CFM	300	

Performance Data		
	Design	Actual
Suction ESP	-	
Discharge ESP	-	
Total ESP	1.0	
EAT (db/wb)	-	
LAT (db/wb)	-	

National TAB

Project: Zingaro

System/Unit: Fan Coil



Asset: PLFC-1

AREA:

Unit Data		
	Design	Actual
MFG	NA	NA
Model Num	NA	NA
Serial Num	-	
Type	-	
Num Filters Size 1	-	
Filter Size 1	-	

Motor Data		
	Design	Actual
Motor MFG	-	
Frame	-	
Horsepower	-	
Motor Rpm	-	
Phase	-	
Voltage (rated)	-	
Amperage (rated)	-	
Service Factor	-	
Brake Horse Power	-	

Drive Data	
	Actual
Motor Sheave Size	
Motor Bore Size	
Fan Sheave Size	
Fan Sheave Bore	
Belt CL Distance	
Num of Belts	
Belt Size	

Test Data		
	Design	Actual
SFAN CFM	3980	
SFAN RPM	-	
Motor Frequency	-	
Motor Speed SetPt	-	
RL Voltage	460	
RL Amperage	-	
RA CFM	2780	
OA CFM	1200	

Performance Data		
	Design	Actual
Suction ESP	-	
Discharge ESP	-	
Total ESP	1.5	
EAT (db/wb)	-	
LAT (db/wb)	-	

National TAB

Project: Zingaro

System/Unit: Fan Coil



Asset: PLFC-2

AREA:

Unit Data		
	Design	Actual
MFG	NA	NA
Model Num	NA	NA
Serial Num	-	
Type	-	
Num Filters Size 1	-	
Filter Size 1	-	

Motor Data		
	Design	Actual
Motor MFG	-	
Frame	-	
Horsepower	-	
Motor Rpm	-	
Phase	-	
Voltage (rated)	-	
Amperage (rated)	-	
Service Factor	-	
Brake Horse Power	-	

Drive Data	
	Actual
Motor Sheave Size	
Motor Bore Size	
Fan Sheave Size	
Fan Sheave Bore	
Belt CL Distance	
Num of Belts	
Belt Size	

Test Data		
	Design	Actual
SFAN CFM	2380	
SFAN RPM	-	
Motor Frequency	-	
Motor Speed SetPt	-	
RL Voltage	460	
RL Amperage	-	
RA CFM	1665	
OA CFM	715	

Performance Data		
	Design	Actual
Suction ESP	-	
Discharge ESP	-	
Total ESP	1.5	
EAT (db/wb)	-	
LAT (db/wb)	-	

National TAB

Project: Zingaro

System/Unit: Kitchen Hood Type I



Asset: ML-C 2

AREA:KITCHEN

Unit Data		
	Design	Actual
MFG	NA	GREASEMASTER
Model Num	NA	6024 GSN-2-PSP-F
Job / Serial Num	-	
Type	I	
Hood length	5'2"	
Hood Width	60"	
Supply Plenum Type	-	
Supply Plenum Width	12"	
Supply Plenum Length	5'2"	

Test Data Exhaust		
	Design	Actual
Filter Type	-	
Filter Size 1	-	
Filter Size 2	-	
Filter Qty 1	-	
Filter Qty 2	-	
Filter AK factor size 1	-	
Filters AK factor size 2	-	
Filter Total AK Area	-	
Filter1 FPM	-	
Filter2 FPM	-	
Filter3 FPM	-	
Filter4 FPM	-	
Filter5 FPM	-	
Filter6 FPM	-	
Filter7 FPM	-	
Filter8 FPM	-	
Filter9 FPM	-	
Filter10 FPM	-	
Filter11 FPM	-	
Filter12 FPM	-	
Filter Ave FPM(corr)	-	
CFM	1300	

Cooking Equipment	
	Actual
Item 1	
Item 2	
Item 3	
Item 4	
Item 5	

Test Data Supply		
	Design	Actual
Total Area	-	
Kv factor (Vel)	-	
Num of Readings	-	
Reading1 FPM	-	
Reading2 FPM	-	
Reading3 FPM	-	
Reading4 FPM	-	
Reading5 FPM	-	
Reading6 FPM	-	
Reading7 FPM	-	
Reading8 FPM	-	
Reading9 FPM	-	
Reading10 FPM	-	
Reading11 FPM	-	
Reading12 FPM	-	
Reading13 FPM	-	
Reading14 FPM	-	
Ave FPM(corr)	-	
CFM	640	

National TAB

Project: Zingaro

System/Unit: Kitchen Hood Type I



Asset: ML-L 1

AREA:KITCHEN

Unit Data		
	Design	Actual
MFG	NA	GREASEMASTER
Model Num	NA	6024 GSN-2-PSP-F
Job / Serial Num	-	
Type	I	
Hood length	10'10"	
Hood Width	60"	
Supply Plenum Type	-	
Supply Plenum Width	12"	
Supply Plenum Length	10'10"	

Test Data Exhaust		
	Design	Actual
Filter Type	-	
Filter Size 1	-	
Filter Size 2	-	
Filter Qty 1	-	
Filter Qty 2	-	
Filter AK factor size 1	-	
Filters AK factor size 2	-	
Filter Total AK Area	-	
Filter1 FPM	-	
Filter2 FPM	-	
Filter3 FPM	-	
Filter4 FPM	-	
Filter5 FPM	-	
Filter6 FPM	-	
Filter7 FPM	-	
Filter8 FPM	-	
Filter9 FPM	-	
Filter10 FPM	-	
Filter11 FPM	-	
Filter12 FPM	-	
Filter Ave FPM(corr)	-	
CFM	1935	

Cooking Equipment	
	Actual
Item 1	
Item 2	
Item 3	
Item 4	
Item 5	

Test Data Supply		
	Design	Actual
Total Area	-	
Kv factor (Vel)	-	
Num of Readings	-	
Reading1 FPM	-	
Reading2 FPM	-	
Reading3 FPM	-	
Reading4 FPM	-	
Reading5 FPM	-	
Reading6 FPM	-	
Reading7 FPM	-	
Reading8 FPM	-	
Reading9 FPM	-	
Reading10 FPM	-	
Reading11 FPM	-	
Reading12 FPM	-	
Reading13 FPM	-	
Reading14 FPM	-	
Ave FPM(corr)	-	
CFM	1300	

National TAB

Project: Zingaro

System/Unit: Kitchen Hood Type I



Asset: ML-R 3

AREA:KITCHEN

Unit Data		
	Design	Actual
MFG	NA	GREASEMASTER
Model Num	NA	6024 GSN-2-PSP-F
Job / Serial Num	-	
Type	I	
Hood length	10'8"	
Hood Width	60"	
Supply Plenum Type	-	
Supply Plenum Width	12"	
Supply Plenum Length	10'8"	

Test Data Exhaust		
	Design	Actual
Filter Type	-	
Filter Size 1	-	
Filter Size 2	-	
Filter Qty 1	-	
Filter Qty 2	-	
Filter AK factor size 1	-	
Filters AK factor size 2	-	
Filter Total AK Area	-	
Filter1 FPM	-	
Filter2 FPM	-	
Filter3 FPM	-	
Filter4 FPM	-	
Filter5 FPM	-	
Filter6 FPM	-	
Filter7 FPM	-	
Filter8 FPM	-	
Filter9 FPM	-	
Filter10 FPM	-	
Filter11 FPM	-	
Filter12 FPM	-	
Filter Ave FPM(corr)	-	
CFM	1920	

Cooking Equipment	
	Actual
Item 1	
Item 2	
Item 3	
Item 4	
Item 5	

Test Data Supply		
	Design	Actual
Total Area	-	
Kv factor (Vel)	-	
Num of Readings	-	
Reading1 FPM	-	
Reading2 FPM	-	
Reading3 FPM	-	
Reading4 FPM	-	
Reading5 FPM	-	
Reading6 FPM	-	
Reading7 FPM	-	
Reading8 FPM	-	
Reading9 FPM	-	
Reading10 FPM	-	
Reading11 FPM	-	
Reading12 FPM	-	
Reading13 FPM	-	
Reading14 FPM	-	
Ave FPM(corr)	-	
CFM	1380	

National TAB

Project: Zingaro

System/Unit: Kitchen Hood Type I



Asset: PREP 4

AREA:KITCHEN

Unit Data		
	Design	Actual
MFG	NA	GREASEMASTER
Model Num	NA	6024 GSN-2-PSP-F
Job / Serial Num	-	
Type	I	
Hood length	10'2"	
Hood Width	-	
Supply Plenum Type	-	
Supply Plenum Width	-	
Supply Plenum Length	10'2"	

Test Data Exhaust		
	Design	Actual
Filter Type	-	
Filter Size 1	-	
Filter Size 2	-	
Filter Qty 1	-	
Filter Qty 2	-	
Filter AK factor size 1	-	
Filters AK factor size 2	-	
Filter Total AK Area	-	
Filter1 FPM	-	
Filter2 FPM	-	
Filter3 FPM	-	
Filter4 FPM	-	
Filter5 FPM	-	
Filter6 FPM	-	
Filter7 FPM	-	
Filter8 FPM	-	
Filter9 FPM	-	
Filter10 FPM	-	
Filter11 FPM	-	
Filter12 FPM	-	
Filter Ave FPM(corr)	-	
CFM	1830	

Cooking Equipment	
	Actual
Item 1	
Item 2	
Item 3	
Item 4	
Item 5	

Test Data Supply		
	Design	Actual
Total Area	-	
Kv factor (Vel)	-	
Num of Readings	-	
Reading1 FPM	-	
Reading2 FPM	-	
Reading3 FPM	-	
Reading4 FPM	-	
Reading5 FPM	-	
Reading6 FPM	-	
Reading7 FPM	-	
Reading8 FPM	-	
Reading9 FPM	-	
Reading10 FPM	-	
Reading11 FPM	-	
Reading12 FPM	-	
Reading13 FPM	-	
Reading14 FPM	-	
Ave FPM(corr)	-	
CFM	1280	