

Report By:

National TAB
105 Stone Village Drive
Fort Mill, SC 29708



Report: RTU's

Function: Test, Adjust, & Balance

Date: 02/09/2026

Completed By: National TAB

PROJECT

Platte City ASC NueHealth (Platte City, MO)

1101 Kentucky Avenue

Platte City, MO 64079

Client

Temp-Con, Inc.

15670 S Keller St

Olathe, KS 66062

National TAB

Project: Platte City ASC NueHealth (Platte City, MO)

Table Of Contents

Section	Page #
AHU/RTU	3
VAV - Single Duct	9



National TAB

Project: Platte City ASC NueHealth (Platte City, MO)

System/Unit: AHU/RTU

Asset: RTU-1

AREA:

Unit Data	
	Actual
MFG	DAIKIN
Serial Num	
Model Num	DPSC25B
Configuration	
Num OA Filters 1	
OA Filter Size 1	
Num OA Filters 2	
OA Filter Size 2	
Num PreFilter 1	
PreFilter Size 1	
Num PreFilter 2	
PreFilter Size 2	
Num Final Filter 1	
Final Filter Size 1	
Num Final Filter 2	
Final Filter Size 2	

Motor Data		
	Design	Actual
Motor MFG	-	
Frame	-	
Horsepower	-	
Motor Rpm	-	
Phase	-	
Rated Voltage	-	
Rated Amperage	-	
Service Factor	-	

Test Data		
	Design	Actual
SF CFM	6800	
SF RPM (Initial)	-	
SF RPM	1486	
RA CFM	5400	
OA CFM	1400	
Relief CFM	-	
RL Voltage	208	
RL Amperage	23.3	
VFD Max SetPt	-	
VFD Min SetPt	-	
SF Motor Freq(HZ)	-	
SF Flow Station (Kv)	-	
OA Flow Station (Kv)	-	
SF System SetPt	-	
RA Flow Station (Kv)	-	
OA Damper Position	-	
Brake Horse Power	1.84	

Performance Data		
	Design	Actual
Fan Suction SP	-	
Fan Discharge SP	-	
Total ESP	-	
Fan Total SP	3.6	
Pre-Filter P.D.	-	
Final Filters P.D.	-	
Cooling Coil P.D.	-	
PreHeat Coil P.D.	-	
Heating Coil P.D.	-	
OA Temp (db/wb)	-	
RA Temp (db/wb)	-	
MA Temp (db/wb)	-	
SA Temp (db/wb)	-	



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

AHU/RTU

VAV - Single Duct

RTU-1/

Asset											
Asset Name	MFG	Model Num	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-1	TITUS	DESV	REHEAT	12	1375		360		750		
VAV-1-2	TITUS	DESV	REHEAT	8	450		200		350		
VAV-1-3	TITUS	DESV	REHEAT	8	475		225		470		
VAV-1-4	TITUS	DESV	REHEAT	6	325		225		225		
VAV-1-5	TITUS	DESV	REHEAT	6	250		250		250		
VAV-1-6	TITUS	DESV	REHEAT	6	350		350		350		
VAV-1-7	TITUS	DESV	REHEAT	6	375		325		325		
VAV-1-8	TITUS	DESV	REHEAT	6	200		100		100		
VAV-1-9	TITUS	DESV	REHEAT	8	700		400		400		
VAV-1-10	TITUS	DESV	REHEAT	6	300		300		300		
VAV-1-11	TITUS	DESV	REHEAT	6	200		150		200		
VAV-1-12	TITUS	DESV	REHEAT	6	200		150		200		
VAV-1-13	TITUS	DESV	REHEAT	8	700		375		500		
VAV-1-14	TITUS	DESV	REHEAT	8	475		200		280		
VAV-1-15	TITUS	DESV	REHEAT	6	250		150		200		
VAV-1-16	TITUS	DESV	REHEAT	4	150		125		150		



National TAB

Project: Platte City ASC NueHealth (Platte City, MO)

System/Unit: AHU/RTU

Asset: RTU-2

AREA:

Unit Data	
	Actual
MFG	DAIKIN
Serial Num	
Model Num	DPSA050
Configuration	
Num OA Filters 1	
OA Filter Size 1	
Num OA Filters 2	
OA Filter Size 2	
Num PreFilter 1	
PreFilter Size 1	
Num PreFilter 2	
PreFilter Size 2	
Num Final Filter 1	
Final Filter Size 1	
Num Final Filter 2	
Final Filter Size 2	

Motor Data		
	Design	Actual
Motor MFG	-	
Frame	-	
Horsepower	-	
Motor Rpm	-	
Phase	-	
Rated Voltage	-	
Rated Amperage	-	
Service Factor	-	

Test Data		
	Design	Actual
SF CFM	8000	
SF RPM (Initial)	-	
SF RPM	1547	
RA CFM	5000	
OA CFM	3000	
Relief CFM	-	
RL Voltage	208	
RL Amperage	11.10	
VFD Max SetPt	-	
VFD Min SetPt	-	
SF Motor Freq(HZ)	-	
SF Flow Station (Kv)	-	
OA Flow Station (Kv)	-	
SF System SetPt	-	
RA Flow Station (Kv)	-	
OA Damper Position	-	
Brake Horse Power	7.53	

Performance Data		
	Design	Actual
Fan Suction SP	-	
Fan Discharge SP	-	
Total ESP	-	
Fan Total SP	3.62	
Pre-Filter P.D.	-	
Final Filters P.D.	-	
Cooling Coil P.D.	-	
CHW Coil P.D.	-	
PreHeat Coil P.D.	-	
Heating Coil P.D.	-	
HW Coil P.D.	-	
Heat Wheel (Sup) P.D.	-	
OA Temp (db/wb)	-	
RA Temp (db/wb)	-	
MA Temp (db/wb)	-	
SA Temp (db/wb)	-	



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

AHU/RTU

VAV - Single Duct

RTU-2/

Asset											
Asset Name	MFG	Model Num	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
RAV2-1	PHOENIX	EXVA112M-ALEHZ	VALVE		1075		1075		NA		
RAV2-2	PHOENIX	EXVA112M-ALEHZ	VALVE		1075		1075		NA		
RAV2-3	PHOENIX	EXVA112M-ALEHZ	VALVE		1075		1075		NA		
RAV2-4	PHOENIX	EXVA112M-ALEHZ	VALVE		1075		1075		NA		
SAV2-1	PHOENIX	MAVA112M-ALEHZ	VALVE		1260		1260		1260		
SAV2-2	PHOENIX	MAVA112M-ALEHZ	VALVE		1260		1260		1260		
SAV2-3	PHOENIX	MAVA112M-ALEHZ	VALVE		1260		1260		1260		
SAV2-4	PHOENIX	MAVA112M-ALEHZ	VALVE		1260		1260		1260		
VAV2-1	TITUS	DESV	REHEAT	10	800		525		525		
VAV2-2	TITUS	DESV	REHEAT	8	525		325		325		
VAV2-3	TITUS	DESV	REHEAT	8	650		300		300		
VAV2-4	TITUS	DESV	REHEAT	8	575		575		575		

Diffuser Supply (GRD)

SAV2-1/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
S2-1-1	OR1 176	SD-4	24X48	210			-
S2-1-2	OR1 176	SD-4	24X48	210			-
S2-1-3	OR1 176	SD-4	24X48	210			-
S2-1-4	OR1 176	SD-4	24X48	210			-
S2-1-5	OR1 176	SD-4	24X48	210			-
S2-1-6	OR1 176	SD-4	24X48	210			-
Total				1260	0	0	0%

SAV2-2/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
S22-1	OR2 170	SD-4	24X48	210			-
S22-2	OR2 170	SD-4	24X48	210			-
S22-3	OR2 170	SD-4	24X48	210			-
S22-4	OR2 170	SD-4	24X48	210			-
S22-5	OR2 170	SD-4	24X48	210			-
S22-6	OR2 170	SD-4	24X48	210			-
Total				1260	0	0	0%

SAV2-3/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
S23-1	FUTURE OR 173	SD-4	24X48	210			-
S23-2	FUTURE OR 173	SD-4	24X48	210			-
S23-3	FUTURE OR 173	SD-4	24X48	210			-
S23-4	FUTURE OR 173	SD-4	24X48	210			-

SAV2-3/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
S23-5	FUTURE OR 173	SD-4	24X48	210			-
S23-6	FUTURE OR 173	SD-4	24X48	210			-
Total				1260	0	0	0%

SAV2-4/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
S24-1	FUTURE OR 169	SD-4	24X48	210			-
S24-2	FUTURE OR 169	SD-4	24X48	210			-
S24-3	FUTURE OR 169	SD-4	24X48	210			-
S24-4	FUTURE OR 169	SD-4	24X48	210			-
S24-5	FUTURE OR 169	SD-4	24X48	210			-
S24-6	FUTURE OR 169	SD-4	24X48	210			-
Total				1260	0	0	0%

VAV2-1/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
V21-1	CORRIDOR	SD-1		225			-
V21-2	C-04	SD-1		200			-
V21-3	C-03	SD-1		225			-
V21-4	178	SD-1		150			-
Total				800	0	0	0%

VAV2-2/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
V22-1	166	SD-1		275			-
V22-2	166	SD-1		250			-
Total				525	0	0	0%

VAV2-3/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
V23-1	165	SD-1		325			-
V23-2	165	SD-1		325			-
Total				650	0	0	0%

VAV2-4/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
V24-1	164	SD-1		225			-
V24-2	164	SD-1		250			-
V24-3	156	SD-1		100			-
Total				575	0	0	0%

Diffuser Ret/Exh (GRD)**RAV2-1/**

Asset								
Asset Name	Location	Type	Size	DESIGN CFM	AK	CFM(1)	FINAL CFM	% to design
R2-1-1	OR1 176	RG-2	20X18	550				-
R2-1-2	OR1 176	RG-2	20X18	525				-
Total				1075		0	0	0%

RAV2-2/

Asset								
Asset Name	Location	Type	Size	DESIGN CFM	AK	CFM(1)	FINAL CFM	% to design
R2-2-1	OR2 170	RG-2	20X18	550				-
R2-2-2	OR2 170	RG-2	20X18	525				-
Total				1075		0	0	0%

RAV2-3/

Asset								
Asset Name	Location	Type	Size	DESIGN CFM	AK	CFM(1)	FINAL CFM	% to design
R2-3-1	FUTURE OR 173	RG-2	20X18	550				-
R2-3-2	FUTURE OR 173	RG-2	20X18	525				-
Total				1075		0	0	0%

RAV2-4/

Asset								
Asset Name	Location	Type	Size	DESIGN CFM	AK	CFM(1)	FINAL CFM	% to design
R2-4-1	FUTURE OR 169	RG-2	20X18	525				-
R2-4-2	FUTURE OR 169	RG-2	20X18	550				-
Total				1075		0	0	0%



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-1	REHEAT	12	1375		360		750		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-1	REHEAT	12	1375		360		750		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-2	REHEAT	8	450		200		350		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-2	REHEAT	8	450		200		350		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-3	REHEAT	8	475		225		470		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-3	REHEAT	8	475		225		470		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-4	REHEAT	6	325		225		225		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-4	REHEAT	6	325		225		225		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-5	REHEAT	6	250		250		250		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-5	REHEAT	6	250		250		250		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-6	REHEAT	6	350		350		350		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-6	REHEAT	6	350		350		350		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-7	REHEAT	6	375		325		325		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-7	REHEAT	6	375		325		325		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-8	REHEAT	6	200		100		100		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-8	REHEAT	6	200		100		100		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-9	REHEAT	8	700		400		400		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-9	REHEAT	8	700		400		400		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-10	REHEAT	6	300		300		300		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-10	REHEAT	6	300		300		300		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-11	REHEAT	6	200		150		200		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-11	REHEAT	6	200		150		200		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-12	REHEAT	6	200		150		200		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-12	REHEAT	6	200		150		200		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-13	REHEAT	8	700		375		500		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-13	REHEAT	8	700		375		500		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-14	REHEAT	8	475		200		280		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-14	REHEAT	8	475		200		280		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-15	REHEAT	6	250		150		200		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-15	REHEAT	6	250		150		200		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-16	REHEAT	4	150		125		150		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV-1-16	REHEAT	4	150		125		150		



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset							
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Ak (max)
RAV2-1	VALVE		1075		1075		

RTU-2/

Asset							
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Ak (max)
RAV2-1	VALVE		1075		1075		

Diffuser Ret/Exh (GRD)

RAV2-1/

Asset								
Asset Name	Location	Type	Size	DESIGN CFM	AK	CFM(1)	FINAL CFM	% to design
R2-1-1	OR1 176	RG-2	20X18	550				-
R2-1-2	OR1 176	RG-2	20X18	525				-
Total				1075		0	0	0%



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset							
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Ak (max)
RAV2-2	VALVE		1075		1075		

RTU-2/

Asset							
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Ak (max)
RAV2-2	VALVE		1075		1075		

Diffuser Ret/Exh (GRD)

RAV2-2/

Asset								
Asset Name	Location	Type	Size	DESIGN CFM	AK	CFM(1)	FINAL CFM	% to design
R2-2-1	OR2 170	RG-2	20X18	550				-
R2-2-2	OR2 170	RG-2	20X18	525				-
Total				1075		0	0	0%



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset							
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Ak (max)
RAV2-3	VALVE		1075		1075		

RTU-2/

Asset							
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Ak (max)
RAV2-3	VALVE		1075		1075		

Diffuser Ret/Exh (GRD)

RAV2-3/

Asset								
Asset Name	Location	Type	Size	DESIGN CFM	AK	CFM(1)	FINAL CFM	% to design
R2-3-1	FUTURE OR 173	RG-2	20X18	550				-
R2-3-2	FUTURE OR 173	RG-2	20X18	525				-
Total				1075		0	0	0%



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset							
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	AK (max)
RAV2-4	VALVE		1075		1075		

RTU-2/

Asset							
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	AK (max)
RAV2-4	VALVE		1075		1075		

Diffuser Ret/Exh (GRD)

RAV2-4/

Asset								
Asset Name	Location	Type	Size	DESIGN CFM	AK	CFM(1)	FINAL CFM	% to design
R2-4-1	FUTURE OR 169	RG-2	20X18	525				-
R2-4-2	FUTURE OR 169	RG-2	20X18	550				-
Total				1075		0	0	0%



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
SAV2-1	VALVE		1260		1260		1260		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
SAV2-1	VALVE		1260		1260		1260		

Diffuser Supply (GRD)

SAV2-1/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
S2-1-1	OR1 176	SD-4	24X48	210			-
S2-1-2	OR1 176	SD-4	24X48	210			-
S2-1-3	OR1 176	SD-4	24X48	210			-
S2-1-4	OR1 176	SD-4	24X48	210			-
S2-1-5	OR1 176	SD-4	24X48	210			-
S2-1-6	OR1 176	SD-4	24X48	210			-
Total				1260	0	0	0%



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
SAV2-2	VALVE		1260		1260		1260		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
SAV2-2	VALVE		1260		1260		1260		

Diffuser Supply (GRD)

SAV2-2/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
S22-1	OR2 170	SD-4	24X48	210			-
S22-2	OR2 170	SD-4	24X48	210			-
S22-3	OR2 170	SD-4	24X48	210			-
S22-4	OR2 170	SD-4	24X48	210			-
S22-5	OR2 170	SD-4	24X48	210			-
S22-6	OR2 170	SD-4	24X48	210			-
Total				1260	0	0	0%



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
SAV2-3	VALVE		1260		1260		1260		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
SAV2-3	VALVE		1260		1260		1260		

Diffuser Supply (GRD)

SAV2-3/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
S23-1	FUTURE OR 173	SD-4	24X48	210			-
S23-2	FUTURE OR 173	SD-4	24X48	210			-
S23-3	FUTURE OR 173	SD-4	24X48	210			-
S23-4	FUTURE OR 173	SD-4	24X48	210			-
S23-5	FUTURE OR 173	SD-4	24X48	210			-
S23-6	FUTURE OR 173	SD-4	24X48	210			-
Total				1260	0	0	0%



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
SAV2-4	VALVE		1260		1260		1260		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
SAV2-4	VALVE		1260		1260		1260		

Diffuser Supply (GRD)

SAV2-4/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
S24-1	FUTURE OR 169	SD-4	24X48	210			-
S24-2	FUTURE OR 169	SD-4	24X48	210			-
S24-3	FUTURE OR 169	SD-4	24X48	210			-
S24-4	FUTURE OR 169	SD-4	24X48	210			-
S24-5	FUTURE OR 169	SD-4	24X48	210			-
S24-6	FUTURE OR 169	SD-4	24X48	210			-
Total				1260	0	0	0%



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV2-1	REHEAT	10	800		525		525		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV2-1	REHEAT	10	800		525		525		

Diffuser Supply (GRD)

VAV2-1/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
V21-1	CORRIDOR	SD-1		225			-
V21-2	C-04	SD-1		200			-
V21-3	C-03	SD-1		225			-
V21-4	178	SD-1		150			-
Total				800	0	0	0%



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV2-2	REHEAT	8	525		325		325		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV2-2	REHEAT	8	525		325		325		

Diffuser Supply (GRD)

VAV2-2/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
V22-1	166	SD-1		275			-
V22-2	166	SD-1		250			-
Total				525	0	0	0%



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV2-3	REHEAT	8	650		300		300		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV2-3	REHEAT	8	650		300		300		

Diffuser Supply (GRD)

VAV2-3/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
V23-1	165	SD-1		325			-
V23-2	165	SD-1		325			-
Total				650	0	0	0%



National TAB

Project:Platte City ASC NueHealth (Platte City, MO)

VAV - Single Duct

RTU-1/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV2-4	REHEAT	8	575		575		575		

RTU-2/

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
VAV2-4	REHEAT	8	575		575		575		

Diffuser Supply (GRD)

VAV2-4/

Asset							
Asset Name	Location	Type	Size	DESIGN CFM	CFM(1)	FINAL CFM	% to design
V24-1	164	SD-1		225			-
V24-2	164	SD-1		250			-
V24-3	156	SD-1		100			-
Total				575	0	0	0%