

**Report By:**

**National TAB  
1329 E. KEMPER ROAD  
SUITE 4210  
CINCINNATI, OH 45246**



**Report: Test  
Function: Test, Adjust, & Balance  
Date: 12/15/2022**

**PROJECT  
DAYTON CHILDREN'S HOSPITAL (DAYTON,  
OH)**

1 Childrens Plaza

Dayton, OH 45404

**Client**

Cinfab, LLC

5240 Lester Road

Cincinnati, OH 45213

# National TAB

Project: DAYTON CHILDREN'S HOSPITAL (DAYTON, OH)

## Table Of Contents

Section	Page #
VAV - Single Duct	3



# National TAB

Project: DAYTON CHILDREN'S HOSPITAL (DAYTON, OH)

Comfort. Under control.

## VAV - Single Duct

### AHU-63/6-6503

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
63-1-10	VAV	7"	430	417	410	409	410	413	933.4
63-1-11	VAV	6"	200	197	125	132	125	127	527.6
63-1-12	VAV	6"	240	243	160	162	160	158	516.0
63-1-13	VAV	6"	240	245	170	174	170	165	504.2
63-1-14	VAV	7"	530	526	465	459	465	471	965.9
63-1-15	VAV	6"	240	249	160	162	160	158	552.6
63-1-16	VAV	6"	240	252	160	164	160	163	612.2
63-1-17	VAV	6"	180	191	65	71	90	92	569.1
63-1-18	VAV	6"	180	180	100	102	100	101	501.2
63-1-01	VAV	9"	780	799	780	784	515	521	1544.9
63-1-02		24"	2420		2420		2180		
63-1-03	VAV	16"	1890	1901	1890	1891	945	956	3230.9
63-1-04	VAV	9"	750	759	750	751	715	720	1537.9
63-1-05	VAV	9"	795	802	795	797	760	768	1560.8
63-1-06	VAV	7"	450	451	140	142	225	231	924.1
63-1-07	VAV	6"	140	144	70	74	140	141	556.4
63-1-08	VAV	6"	300	303	70	72	150	149	529.4
63-1-09	VAV	6"	245	243	70	72	125	129	484.6

### AHU-63/6-6503

Asset									
Asset Name	Type	Inlet Size	Design Max CFM	Max CFM	Design Min CFM	Min CFM	Design Heat CFM	Heat CFM	Ak (max)
63-1-10	VAV	7"	430	417	410	409	410	413	933.4
63-1-11	VAV	6"	200	197	125	132	125	127	527.6
63-1-12	VAV	6"	240	243	160	162	160	158	516.0
63-1-13	VAV	6"	240	245	170	174	170	165	504.2
63-1-14	VAV	7"	530	526	465	459	465	471	965.9
63-1-15	VAV	6"	240	249	160	162	160	158	552.6
63-1-16	VAV	6"	240	252	160	164	160	163	612.2
63-1-17	VAV	6"	180	191	65	71	90	92	569.1
63-1-18	VAV	6"	180	180	100	102	100	101	501.2
63-1-01	VAV	9"	780	799	780	784	515	521	1544.9
63-1-02		24"	2420		2420		2180		
63-1-03	VAV	16"	1890	1901	1890	1891	945	956	3230.9
63-1-04	VAV	9"	750	759	750	751	715	720	1537.9
63-1-05	VAV	9"	795	802	795	797	760	768	1560.8
63-1-06	VAV	7"	450	451	140	142	225	231	924.1
63-1-07	VAV	6"	140	144	70	74	140	141	556.4
63-1-08	VAV	6"	300	303	70	72	150	149	529.4
63-1-09	VAV	6"	245	243	70	72	125	129	484.6