


- M5 DUCT UP TO OPENING THROUGH ROOF CAPPED WITH...
- M10 GREASE DUCT FROM EXHAUST HOOD TO OPENING TO CONTRACTOR TO INSTALL PROVIDED HINGE KIT. DUCT FROM CEILING PENETRATION TO FAN. REFER TO 23313.00-04 AND 23313.00-05 ON M5.2 FOR ADDITIONA...
- M12 ROUTE DUCTWORK AT A REASONABLE HEIGHT ABOVE CLEANING AND MAINTENANCE.
- M15 COMBINATION TEMPERATURE/RELATIVE HUMIDITY SENSITIVE PROBE. ROUTE CONTROL WIRING THROUGH RTU/J...
- M17 UW-50 VENT KIT INCLUDED WITH UNIT AND SUPPLIED STEAM CONDENSATION AT THE COMPLETION OF THE UNIT. THIS PROCESS IS COMPLETED. MECHANICAL C THE VENT KIT OPENING THROUGH ROOF. REFER TO...
- M18 DIFFUSER AROUND HOOD TO BE A 2-WAY DIFFUSER & INTERFERENCE WITH THE HOOD'S CONTAIN AND CAP...
- M19 INSTALL TRANSFER GRILLES IN WALL AS HIGH AS POSS AND ARCHITECT PRIOR TO WORK.
- M24 HOOD ANSUL FULL STATION LOCATION. COORDINATE NAMEPLATE AT STATION WITH HOOD NUMBER AND LC ADDITIONAL INFORMATION.
- M27 MOUNT GRILLER REGISTER 10" AFF.
- M30 REFER TO ARCHITECTURAL DRAWINGS FOR FINAL HC...
- M31 INSTALL TRANSFER IN ACCORDANCE WITH 233713.00...
- M32 ROOF TOP UNIT FURNISHED BY KROGER AND INSTALL SCHEDULED AIRFLOW. REFER TO ARCHITECTURAL RI INFORMATION. REFER TO STRUCTURAL DRAWINGS FOR INFORMATION. REFER TO HSD-10 FOR SEISMIC WIND...
- M33 DUCT MOUNTED SMOKE DETECTOR TO BE INSTALLED FILTERS AND UPSTREAM OF ANY BRANCH CONNECTOR HOUSING IN STRICT ACCORDANCE WITH MANUFACTURER SHUTDOWN WIRING, AND CONTROLS BY OTHERS.
- M39 THERMOSTAT TO BE BASIS OF DESIGN HONEYWELL T CONTROLS TO LIMIT HEATING TO A SERRES F MAXIMUM PROVIDED INFORMATION ON M5.2 FOR MORE INFORM...

NOT

A. CONTRACTOR TO RETURN DUCT OF ORDERING SHEET SUBMITTAL CON SHOWN WILL ALL DROPS TO FALL TO STRUCTURAL DIMENSIONS. CO DISCREPANCIES.



① HVAC ENLARGED PLAN - DELI
1/4" = 1'-0"



③ HVAC ENLARGED PLAN - PHARMACY
 1/4" = 1'-0"