



05/06/2021

Project
1900 restaurant - Lower Level
Kitchen

From
Edward Don & Co. - St. Louis
Jim Broddon
2055 Craigshire Road
Ste 350
St Louis, MO 63146
(314) 803-5249 (Contact)

ITEM 1 - WORKTABLE - BY OWNER (2 REQ'D)

Custom Model WORKTABLE

16 ga/304 S/S worktable w/ S/S undershelf and frame and casters. Sized per plan. NSF.

2 ea Model CASTERS CASTERS

ITEM 2A - SHELVING UNIT - BY OWNER (2 REQ'D)

Olympic Model 1830E

18" x 30" shelving unit, dark green epoxy, w/(5) shelves, (4) posts

10 ea Model J1830K Shelf, wire, 18" x 30", green epoxy finish with chromate substrate, NSF

8 ea Model J86K Post 86", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF

ITEM 2C - SHELVING UNIT (1 REQ'D)

Olympic Model 2430E

24" x 30" shelving unit, dark green epoxy, w/(5) shelves, (4) posts

5 ea Model J2430K Shelf, wire, 24" x 30", green epoxy finish with chromate substrate, NSF

4 ea Model J86UK Post 86", mobile, works with stem caster, grooved at 1" intervals, green epoxy finish with chromate substrate, NSF

2 ea Model J5 Stem/Swivel Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF

2 ea Model J5B Stem/Swivel-Brake Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF

ITEM 2D - SHELVING UNIT (2 REQ'D)

Olympic Model 2436E

24" x 36" shelving unit, dark green epoxy, w/(5) shelves, (4) posts

10 ea Model J2436K Shelf, wire, 24" x 36", green epoxy finish with chromate substrate, NSF

8 ea Model J86UK Post 86", mobile, works with stem caster, grooved at 1" intervals, green epoxy finish with chromate substrate, NSF

4 ea Model J5 Stem/Swivel Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF

4 ea Model J5B Stem/Swivel-Brake Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF

ITEM 2E - SHELVING UNIT (2 REQ'D)**Olympic Model 2442E**

24" x 42" shelving unit, dark green epoxy, w/(5) shelves, (4) posts

- 10 ea Model J2442K Shelf, wire, 24" x 42", green epoxy finish with chromate substrate, NSF
 - 8 ea Model J86UK Post 86", mobile, works with stem caster, grooved at 1" intervals, green epoxy finish with chromate substrate, NSF
 - 4 ea Model J5 Stem/Swivel Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF
 - 4 ea Model J5B Stem/Swivel-Brake Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF
-

ITEM 2F - SHELVING UNIT (4 REQ'D)**Olympic Model 2448E**

24" x 48" shelving unit, dark green epoxy, w/(5) shelves, (4) posts

- 20 ea Model J2448K Shelf, wire, 24" x 48", green epoxy finish with chromate substrate, NSF
 - 16 ea Model J86UK Post 86", mobile, works with stem caster, grooved at 1" intervals, green epoxy finish with chromate substrate, NSF
 - 8 ea Model J5 Stem/Swivel Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF
 - 8 ea Model J5B Stem/Swivel-Brake Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF
-

ITEM 2G - SHELVING UNIT (1 REQ'D)**Olympic Model 2460E**

24" x 60" shelving unit, dark green epoxy, w/(5) shelves, (4) posts

- 5 ea Model J2460K Shelf, wire, 24" x 60", green epoxy finish with chromate substrate, NSF
 - 4 ea Model J86UK Post 86", mobile, works with stem caster, grooved at 1" intervals, green epoxy finish with chromate substrate, NSF
 - 2 ea Model J5 Stem/Swivel Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF
 - 2 ea Model J5B Stem/Swivel-Brake Caster, 5" dia., 1-1/4" face, resilient rubber tread, 200 lb. load capacity (priced per each), NSF
-

ITEM 2H - SHELVING UNIT - BY OWNER (1 REQ'D)**Olympic Model 2460E**

24" x 60" shelving unit, dark green epoxy, w/(5) shelves, (4) posts

- 5 ea Model J2460K Shelf, wire, 24" x 60", green epoxy finish with chromate substrate, NSF
 - 4 ea Model J86K Post 86", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF
-

ITEM 3 - MOP SINK - BY OWNER (1 REQ'D)**Custom Model CUSTOM**

Molded Stone construction, 24" x 24"

- 1 ea Fisher Model 8253 Service Sink Faucet, wall mount mixing faucet with 8" adjustable centers, EZ Install adapters, 6" spout with garden hose outlet, lever handles, 1/2" inlets
-

ITEM 4 - WALL SHELF - BY OWNER (2 REQ'D)**Custom Model WALL SHELF**

16 ga/304 s/s Wall shelf with heavy duty brackets, sized per plan, NSF.

ITEM 5 - HAND SINK - BY OWNER (1 REQ'D)**John Boos Model PBHS-14102DM-LRX Dimensions: 13.13(h) x 17(w) x 17(d)**

Hand Sink, wall mount, 14"W x 10" front-to-back x 5" deep, deck mount faucet holes, all stainless steel construction, with left & right side splashes (faucet NOT included) (FLYER)

- 1 ea Fisher Model 3526 Faucet, deck mount, 4" centers, 6" rigid gooseneck spout, lever handles with color coded indexes, 1/2" NPT male inlets, brass, ADA Compliant
-

ITEM 6 - PAPER TOWEL DISPENSER - BY OTHERS (2 REQ'D)**Custom Model CUSTOM**

Paper Towel Dispenser, Provided by Others

NOTE: THIS WILL BE PROVIDED BY EDWARD DON SMALLWARES.

ITEM 7 - SOAP DISPENSER - BY OTHERS (2 REQ'D)**Custom Model CUSTOM**

Soap Dispenser, Provided by Others

NOTE: THIS WILL BE PROVIDED BY EDWARD DON SMALLWARES.

ITEM 8 - 3 COMPARTMENT SINK (1 REQ'D)**Custom Model 3 COMPARTMENT SINK**

14 ga/304 s/s top with 9" splash, S/S legs and Undershelf with Adjustable bullet feet, (3) 22" x 22" x 14" S/S bowls, sized per plan. NSF.

- 1 ea Model FIELD JOINT Field weld
 - 2 ea Fisher Model 84824 Faucet, backsplash mount, 8" centers, 12" swing spout, lever handles with color coded indexes, 1/2" NPT male inlets, with elbows, brass, CSA, ADA Compliant
 - 3 ea T&S Brass Model B-3990-3X Modular Waste Drain Valve, with pull handle, 3-1/2" sink opening, 2" NPT female x 1-1/2" NPT male adapter, 3" handle extension
-

ITEM 9 - WALL SHELF (2 REQ'D)**Custom Model WALL SHELF**

16 ga/304 s/s Wall shelf with heavy duty brackets, sized per plan

ITEM 10 - WALL SHELF (2 REQ'D)**Custom Model WALL SHELF**

16 ga/304 s/s Wall shelf with heavy duty brackets, sized per plan

ITEM 11 - RACK DOLLY (3 REQ'D)**Cambro Model CD2020110 Dimensions: 8.25(h) x 22.5(w) x 22.5(d)**

Camdolly®, 22-1/2"L x 22-1/2"W x 8-1/4"H (exterior dimensions), without handle, polyethylene construction, (4) 3" heavy duty swivel casters, load capacity 300 lbs., black, NSF

**ITEM 12 - WALL SHELF - BY OWNER (2 REQ'D)****Custom Model WALL SHELF**

16 ga/304 s/s Wall shelf with heavy duty brackets, sized per plan, NSF.

ITEM 13 - CLEAN DISHTABLE - BY OWNER (1 REQ'D)**Custom Model CUSTOM**

CLEAN DISHTABLE is to be supplied BY OWNER.

ITEM 14 - DISHWASHER

Supplied by others, VERIFY BRAND, MODEL, AND UTILITY REQUIREMENTS.

ITEM 15 - SOILED DISHTABLE - BY OWNER (1 REQ'D)**Custom Model CUSTOM**

SOILED DISHTABLE is to be supplied BY OWNER.

ITEM 16 - WALL SHELF - BY OWNER (2 REQ'D)**Custom Model WALL SHELF**

16 ga/304 s/s Wall shelf with heavy duty brackets, sized per plan, NSF.

ITEM 17 - MIXER

EXISTING FROM UPSTAIRS KITCHEN, VERIFY BRAND, MODEL, AND UTILITY REQUIREMENTS.

ITEM 18 - FREEZER

EXISTING, VERIFY BRAND, MODEL, AND UTILITY REQUIREMENTS.

ITEM 19 - WORKTABLE

EXISTING, VERIFY SIZE WITH OWNER

ITEM 20 - ONE (1) COMPARTMENT SINK (1 REQ'D)**Advance Tabco Model FC-1-1824-X Dimensions: 43(h) x 23(w) x 29.5(d)**

Fabricated Sink, 1-compartment, no drainboards, bowl size 18" x 24" x 14" deep, 16 gauge 304 stainless steel, tile edge splash, rolled edge, 8" OC faucet holes, stainless steel legs with adjustable side cross-bracing, 1" adjustable stainless steel bullet feet, overall 29-1/2" F/B x 23" L/R, NSF

- 1 ea Fisher Model 84654 Faucet, backsplash mount, 8" centers, 10" swing spout, lever handles with color coded indexes, 1/2" NPT male inlets, with elbows, brass, CSA, ADA Compliant
- 2 ea T&S Brass Model B-3990-3X Modular Waste Drain Valve, with pull handle, 3-1/2" sink opening, 2" NPT female x 1-1/2" NPT male adapter, 3" handle extension

**ITEM 21 - S/S PREP WORKTABLE (1 REQ'D)****Custom Model CUSTOM**

S/S WORKTABLE WITH 6" BACKSPLASH, UNDERSHELF, S/S LEGS.

ITEM 22 - WALL SHELF (2 REQ'D)**Custom Model WALL SHELF**

16 ga/304 s/s Wall shelf with heavy duty brackets, sized per plan

ITEM 23 - REACH-IN FREEZER - BY OWNER (1 REQ'D)**Hoshizaki Model CF1S-FS Dimensions: 79.75(h) x 27.5(w) x 33.75(d)**

Commercial Series Freezer, reach-in, one section, 22.8 cu.ft., self-contained refrigeration system, solid state digital controller with temperature alarms & LED display, full height solid right hinged door, stainless steel interior, (3) 21-1/4" x 26" epoxy-coated wire shelves, stainless steel exterior front & sides, (4) 4" polyolefin casters (2 with brakes), 1/2 hp, cETLus, ETL-Sanitation

- 1 ea Warranty: 3-Year parts & labor on entire machine
- 1 ea Warranty: 5-Year parts on compressor
- 1 ea 115v/60/1-ph, 9.0 amps, NEMA 5-15P
- 1 ea Door hinged on right, standard
- 1 ea Model HS-5234 Condensate Kit, for use with One, Two, and Three section uprights, power cord, 115v, 400 watts
- 1 ea 90 parts only warranty, standard
- 1 ea 4" casters (set of 4), field installed, standard

**ITEM 24 - REACH-IN REFRIGERATOR - BY OWNER (1 REQ'D)****Hoshizaki Model CR1S-FS Dimensions: 79.75(h) x 27.5(w) x 33.75(d)**

Commercial Series Refrigerator, reach-in, one section, 22.8 cu.ft., self-contained refrigeration system, solid state digital controller with temperature alarms & LED display, stainless steel exterior front & sides, stainless steel interior, standard depth, full height solid right hinged door, (3) standard shelves, (4) 4" heavy duty casters (2 with brakes), 1/5 hp, cETLus, ETL-Sanitation, ENERGY STAR®

- 1 ea Warranty: 3-Year parts & labor on entire machine
- 1 ea Warranty: 5-Year parts on compressor
- 1 ea 115v/60/1-ph, 4.0 amps, NEMA 5-15P
- 1 ea Model HS-3726 Door Reversal Kit (full stainless steel doors), right hinge to left hinge - for Commercial "S" Series
- 1 ea Model HS-5234 Condensate Kit, for use with One, Two, and Three section uprights, power cord, 115v, 400 watts
- 1 ea 90 parts only warranty, standard
- 1 ea 4" casters (set of 4), field installed, standard

**ITEM 25 - REACH-IN REFRIGERATOR - BY OWNER (1 REQ'D)****Hoshizaki Model CR2S-FS Dimensions: 79.75(h) x 55(w) x 33.75(d)**

Commercial Series Refrigerator, reach-in, two section, 50.5 cu.ft., self-contained refrigeration, solid state digital controller with temperature alarms & LED display, stainless steel exterior front & sides, stainless steel interior, full height solid hinged doors, (6) 24" x 24-3/4" standard shelves, (4) 4" heavy duty casters (2 with brakes), 1/4 hp, cETLus, ETL-Sanitation, ENERGY STAR®

- 1 ea Warranty: 3-Year parts & labor on entire machine
- 1 ea Warranty: 5-Year parts on compressor
- 1 ea 115v/60/1-ph, 5.8 amps, NEMA 5-15P
- 1 ea Left door hinged on left, standard
- 1 ea Right door hinged on right, standard
- 1 st 4" casters (set of 4) standard

**ITEM 26 - S/S BANQUET TABLE (6 REQ'D)****Custom Model CUSTOM**

S/S banquet table with middle crossrails, no undershelf, casters (2 with brakes).

ITEM 27 - DECORATIVE EXHAUST HOOD (1 REQ'D)**Captive-Aire Model CUSTOM**

Round exhaust hood with fire suppression.

NOTE: This item is included with item #42.

ITEM 28 - FANS/MUA (1 REQ'D)**Captive-Aire Model CUSTOM**

Includes (2) High pressure belt drive centrifugal upblast exhaust fans with hinged base curbs - vented.

Includes Direct Gas Fired Heated MUA AND 7.5 Ton cooling option and 3 phase electrical system.

NOTE: This item is included in item #42

ITEM 29 - FIRE SUPPRESSION SYSTEM (1 REQ'D)**Captive-Aire Model CUSTOM**

Ansul-3.0/3.0 Ansul 6 gallon Fire System in Utility Cabinet, includes pre-piped hoods with detection, tanks, release mechanism, microswitches and pull station.

Also includes (1) 2" Mechanical shutuff Valve.

NOTE: This item is included in item #42.

ITEM 30 - BUN / SHEET PAN RACK (2 REQ'D)**New Age Model 1461S Dimensions: 69.75(h) x 28.38(w) x 19(d)**

Bun Pan Rack, mobile, full height, open sides, accommodates (38) 18" x 26" pans, slides on 1-1/2" centers, all welded aluminum construction, side loading, (4) 5" platform swivel casters, NSF, Made in USA

- 2 ea Lifetime warranty against rust & corrosion, 5 year workmanship and material defects warranty, standard
- 2 ea 5" platform type casters, std.
- 2 pr Model CL-B Caster Lock, for 5" platform caster (pair)

**ITEM 31 - SLIDE IN RANGE (1 REQ'D)****Viking Range Model VRT7366BSS**

6 burner Slide-in Range

ITEM 32 - MAIN ISLAND COUNTER (1 REQ'D)**Custom Model CUSTOM**

Main Island counter with provision for slide-in range, storage on the chef side and drawer if needed. Middle shelf optional. Countertop material to be determined, S/S is suggested.

ITEM 33 - WORKTABLE - BY OWNER (1 REQ'D)**Custom Model WORKTABLE**

16 ga/304 S/S worktable w/6" tall splash w/ s/s undershelf and frame, (2) sink bowls, sized per plan NSF.

- 1 ea Fisher Model 3253 Faucet, wall mount, 8" adjustable centers, 12" swing spout, 1/2" inlets
- 2 ea T&S Brass Model B-3950 Waste Valve, twist handle, 3-1/2" sink opening, 2" drain outlet with 1-1/2" adapter (replaces B-3912, B-3916)

ITEM 34 - FOOD PROCESSOR - BY OWNER (1 REQ'D)**Robot Coupe Model R2N Dimensions: 19(h) x 8.69(w) x 11(d)**

Commercial Food Processor, 3 qt. gray polycarbonate bowl with handle, kidney-shaped opening, vegetable prep attachment with external ejection, includes: (1) "S" blade (27055), (1) 2mm grating disc (27577), (1) 4mm slicing disc (27566), continuous feed, bowl attachment designed for vertical cutting & mixing, on/off & pulse switch, single speed, 1725 RPM, 120v/60/1-ph, 7 amps, 1 HP, cETLus, ETL-Sanitation

- 1 ea 1 year parts & labor warranty
- 1 ea 3 year motor warranty

**ITEM 35 - WALL SHELF - BY OWNER (2 REQ'D)****Custom Model WALL SHELF**

16 ga/304 s/s Wall shelf with heavy duty brackets, sized per plan, NSF.

ITEM 37 - WALL SHELF - BY OWNER (2 REQ'D)**Custom Model WALL SHELF**

16 ga/304 s/s Wall shelf with heavy duty brackets, sized per plan, NSF.

ITEM 38 - HAND SINK (2 REQ'D)**John Boos Model PBHS-14102DM-LRX Dimensions: 13.13(h) x 17(w) x 17(d)**

Hand Sink, wall mount, 14"W x 10" front-to-back x 5" deep, deck mount faucet holes, all stainless steel construction, with left & right side splashes (faucet NOT included) (FLYER)

- 2 ea Fisher Model 3526 Faucet, deck mount, 4" centers, 6" rigid gooseneck spout, lever handles with color coded indexes, 1/2" NPT male inlets, brass, ADA Compliant

ITEM 39 - PAPER TOWEL DISPENSER - BY OTHERS (2 REQ'D)**Custom Model CUSTOM**

Paper Towel Dispenser, Provided by Others

NOTE: THIS WILL BE PROVIDED BY EDWARD DON SMALLWARES.

ITEM 40 - SOAP DISPENSER - BY OTHERS (2 REQ'D)**Custom Model CUSTOM**

Soap Dispenser, Provided by Others

NOTE: THIS WILL BE PROVIDED BY EDWARD DON SMALLWARES.

ITEM 41 - REACH-IN FREEZER (1 REQ'D)**Hoshizaki Model F3A-FS Dimensions: 79.5(h) x 82.5(w) x 33.5(d)**

Steelheart Series Freezer, reach-in, three-section, 79.03 cu. ft., self-contained refrigeration, solid state digital controller with temperature alarms & LED display, stainless steel interior & exterior (front & sides), standard depth, (3) field reversible solid doors, (9) adjustable shelves, (8) 4" heavy duty casters (3 with brakes), R290 Hydrocarbon refrigerant, (2) 3/4 HP, NEMA L14-20P, cETLus, ETL-Sanitation

- 1 ea Warranty: 3-Year parts & labor on entire machine
- 1 ea Warranty: 5-Year parts on compressor
- 1 ea 230v/60/1-ph, 11.0 amps, standard
- 1 ea Casters, 4" (set of 8), standard

**ITEM 42 - EXHAUST HOOD SYSTEM (1 REQ'D)****Captive-Aire Model CUSTOM**

Captive Aire Includes the following:

* (2) 8'-4" long exhaust-only wall canopy hood with front PSP w/ high efficiency s/s Captrate Solo filter.

Per plans and specs

PLEASE NOTE THAT THE PRICE FOR THIS ITEM INCLUDES #42-44, 53-55.

NOTE: This represents NON-UNION LABOR for the hook up of the Fire Suppression System and it DOES NOT include Sealed engineering drawings for permits.

ITEM 43 - FANS/MUA (1 REQ'D)**Captive-Aire Model CUSTOM**

Includes (2) High pressure belt drive centrifugal upblast exhaust fans with hinged base curbs - vented.

NOTE: This item is included in item #42.

ITEM 44 - FIRE SUPPRESSION SYSTEM (1 REQ'D)**Captive-Aire Model CUSTOM**

Ansul-3.0/3.0 Ansul 6 gallon Fire System in Utility Cabinet, includes pre-piped hoods with detection, tanks, release mechanism, microswitches and pull station.

Also includes (1) 2" Mechanical shutuff Valve.

NOTE: This item is included in item #42.

ITEM 46 - CHARBROILER, GAS, COUNTERTOP (1 REQ'D)**Vulcan Model VACB36 Dimensions: 15.5(h) x 36(w) x 31(d)**

Achiever Charbroiler, countertop, 36", (6) 17,000 BTU cast iron burners, infinite heat control valves, fully welded chassis, (1) drip tray, stainless steel front, sides & top trim, backsplash & grease trough, 4" adjustable legs, 102,000 BTU, CSA, NSF

- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Natural gas (specify elevation if over 2,000 ft.)



- 1 ea Model CONRAIL-ACB36 Condiment rail, (5) 1/6 size pans or (2) 1/3 size pans
- 1 kt Dormont Model 1675KITS48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) Swivel MAX®, (1) full port valve, (1) elbow, (1) Snap'N Go, coiled restraining cable with hardware, 167,000 BTU/hr minimum flow capacity, limited lifetime warranty

ITEM 47 - EQUIPMENT STAND (1 REQ'D)**Custom Model EQ STAND**

16 ga/304 S/S Equipment Stand w/marine edge w/ S/S Undershelf and legs. Sized per plan. NSF.

ITEM 48 - RANGE, 36", 6 OPEN BURNERS (2 REQ'D)**Vulcan Model 36C-6BN Dimensions: 58(h) x 36(w) x 34(d)**

Endurance™ Restaurant Range, natural gas, 36", (6) 30,000 BTU burners, lift-off burner heads, convection oven, stainless steel front, sides, backriser & lift-off high shelf, fully MIG welded chassis, 6" adjustable legs, 215,000 BTU, CSA, NSF

- 2 ea 1 year limited parts & labor warranty, standard
- 2 ea 115v/60/1-ph, cord & plug, standard
- 2 ea Model RCONRL-36 Condiment Rail, for 36" ranges
- 2 ea Model STUB10-XL36 10" Stub back, for 36" ranges, stainless steel
- 2 st Model CASTERS RR4 Casters, 5" (set of 4) (2 with locks)
- 2 kt Dormont Model 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbows, (1) Snap'N Go, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty

**ITEM 49 - WALL SHELF (1 REQ'D)****Custom Model WALL SHELF**

16 ga/304 s/s Wall shelf with bracket above, per plan.

ITEM 50 - WORKTABLE (2 REQ'D)**Custom Model WORKTABLE**

16 ga/304 S/S worktable w/6" tall splash w/ S/S crossrails and open underneath for cook-N-hold. Sized per plan. NSF.

ITEM 51 - CONVECTION OVEN, GAS (1 REQ'D)**Vulcan Model VC4GD Dimensions: 54.75(h) x 40(w) x 42.25(d)**

Convection Oven, gas, single-deck, standard depth, solid state controls, electronic spark igniter, 60 minute timer, (5) nickel plated racks, 23-3/4"H legs with foot, stainless steel front, top & sides, stainless steel door with window, 50,000 BTU, NSF, CSA Star, CSA Flame, ENERGY STAR®

- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Natural gas (specify elevation if over 2,000 ft.)
- 1 ea 120v/60/1-ph, 7.7 amps, cord with plug, standard
- 1 ea Simultaneous doors, per section (chain driven)



05/06/2021

1900 restaurant - Lower Level Kitchen

- 1 ea Model OPNSTND-LEGS Stainless steel leg stand with stainless steel shelf & adjustable rack supports on 8" stainless steel legs
 - 1 st Model CSTSET-SINGLE Casters (set of four, 2 locking) for Single Deck Oven or for Leg Stand
 - 1 ea Note: Casters will be shipped in a separate box
 - 1 kt Dormont Model 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbows, (1) Snap'N Go, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty
-

ITEM 52 - FAUCET, KETTLE / POT FILLER (1 REQ'D)

Fisher Model 2321

Pot Filler Faucet, 8" OC splash-mounted, with 72" flexible hose, turn down hooked nozzle with control valve, wall hook, 3/4" inlet



ITEM 54 - DROP-IN SINK (1 REQ'D)

Custom Model CUSTOM

DROP-IN SINK TO BE DETERMINED
